


Music therapy in children affected by brain tumors

Filippo Giordano ¹, Raffaella Messina,² Anna Riefolo,³ Chiara Rutigliano,⁴ Teresa Perillo,⁴ Massimo Grassi,⁴ Nicola Santoro,⁴ Francesco Signorelli²

To cite: Giordano F, Messina R, Riefolo A, *et al.* Music therapy in children affected by brain tumors. *World Jnl Ped Surgery* 2021;4:e000307. doi:10.1136/wjps-2021-000307

Received 9 May 2021
Accepted 25 May 2021



© Author(s) (or their employer(s)) 2021. Re-use permitted under CC BY-NC. No commercial re-use. See rights and permissions. Published by BMJ.

¹School of Medicine, University of Bari, Bari, Italy

²Department of Basic Medical Sciences, Neurosciences and Sense Organs, Division of Neurosurgery, University of Bari, Bari, Puglia, Italy

³Anesthesia and Intensive Care Unit, Azienda Ospedaliero-Universitaria Consorziale Policlinico di Bari, Bari, Puglia, Italy

⁴Pediatric Hematology-Oncology, Policlinico di Bari Ospedale Giovanni XXIII, Bari, Puglia, Italy

Correspondence to

Dr Raffaella Messina;
raffamessina@gmail.com

Children affected by brain tumors experience significant levels of anxiety, nervousness, and fear regarding surgery, especially in the preoperative stages. The operating room can be an intimidating environment for them, and preoperative anxiety can adversely affect postoperative pain.¹

Interest is growing in finding non-pharmacological means that may be used to reduce these symptoms.

Music sessions are increasingly used in patients undergoing neurosurgery for this purpose.²

Regarding the relationship between music and human brain, some studies compare the functioning of the nervous system as the ability of a large orchestra to express a full range of melodies and rhythms, as well as various and complex harmonic solutions.³

Passive listening to pre-recorded music provided to the patient by nurses or by other medical staff to offer additional comfort is considered as music medicine. Instead, music therapy (MT) involves the systematic use of musical experiences aimed at achieving therapeutic goals by a trained music therapist (MTt) and implies the establishment of a relationship among patient, music, and MTt.⁴

In a recent study, our multidisciplinary team evaluated positively the influence of MT on preoperative anxiety during lumbar puncture and bone marrow aspiration in pediatric oncology patients.⁵ Therefore, in the last 18 months, we introduced and evaluated prospectively MT in the preoperative setting of all children affected by brain tumors undergoing neurosurgery in our department. When clinically feasible (it was been possible to enroll 10 out of 23 patients), inpatient children aged 1–18 years received from 1 to 3 bedside individual sessions of MT prior to surgery by a certified MTt, with the collaboration of a psycho-oncologist. An interactive relational approach, developed from the model of “free improvisation therapy,” was used.⁶ The MT intervention includes

both active techniques that involve the use of various musical instruments, singing and songwriting, and receptive techniques such as preparing and listening to a personalized playlist.

The choice of music was based on individual assessment of each child.⁷

The MTt accompanied the patient and parents into the operating theater and the MT—both active and receptive—continued until the patient was fully anesthetized.

MT was integrated into patient care before anesthesia and also throughout the interactive preparation for surgery. This enabled the children to feel secure and confident during the ensuing procedures.

Their attention was distracted from the operation and the time spent waiting for it, providing an impression of strong support and making the patients into active participants rather than passive recipients of the surgical procedure.^{8,9}

We found that all children receiving MT interacted with the MTt undisturbedly and independently were more compliant with treatments, with accepting to enter the operating room comfortably, and with less fear. The beneficial effect of MT reflected also on the clinical staff, which felt more confident and serene.

To our knowledge, this is the first report on the application of MT on pediatric oncological neurosurgery in the literature. On the basis of this initial experience, we designed a larger prospective study in children affected by brain tumors to provide reliable estimates of the effects of MT in the preoperative and postoperative management of these patients.

Contributors FG contributed to conceptualization, methodology and investigation. RM was responsible for conceptualization and methodology. AR carried out conceptualization and supervision. CR performed conceptualization and investigation. TP contributed to conceptualization. MG was responsible for supervision. NS and FS organized project administration.



Funding The authors have not declared a specific grant for this research from any funding agency in the public, commercial or not-for-profit sectors.

Competing interests None declared.

Patient consent for publication Not required.

Ethics approval Not required.

Provenance and peer review Not commissioned; internally peer reviewed.

Data availability statement Not required.

Open access This is an open access article distributed in accordance with the Creative Commons Attribution Non Commercial (CC BY-NC 4.0) license, which permits others to distribute, remix, adapt, build upon this work non-commercially, and license their derivative works on different terms, provided the original work is properly cited, appropriate credit is given, any changes made indicated, and the use is non-commercial. See: <http://creativecommons.org/licenses/by-nc/4.0/>.

ORCID iD

Filippo Giordano <http://orcid.org/0000-0002-6106-1187>

REFERENCES

- 1 Kühlmann AYR, van Rosmalen J, Staals LM, *et al*. Music interventions in pediatric surgery (the music under surgery in children study): a randomized clinical trial. *Anesth Analg* 2020;130:991–1001.
- 2 Mishra R, Florez-Perdomo WA, Shrivatava A, *et al*. Role of music therapy in traumatic brain injury: a systematic review and meta-analysis. *World Neurosurg* 2021;146:197–204.
- 3 Bernatzky G, Kreutz G curatori. Musik und medizin: chancen für therapie, prävention und bildung [Internet]. Wien: Springer-Verlag, 2015. Available: <https://www.springer.com/de/book/9783709115985> [Accessed 6 Feb 2021].
- 4 Bradt J, Dileo C, Shim M. Music interventions for preoperative anxiety. *Cochrane Database Syst Rev* 2013;6:CD006908.
- 5 Giordano F, Zanchi B, De Leonardis F, *et al*. The influence of music therapy on preoperative anxiety in pediatric oncology patients undergoing invasive procedures. *Arts Psychother* 2020;68:101649.
- 6 Bunt L, Stige B. *Music therapy: an art beyond words*. 2 edn. New York: Routledge, 2014.
- 7 Robb SL, Burns DS, Carpenter JS. Reporting guidelines for music-based interventions. *J Health Psychol* 2011;16:342–52.
- 8 Loewy J, Stewart K, Dassler A-M, *et al*. The effects of music therapy on vital signs, feeding, and sleep in premature infants. *Pediatrics* 2013;131:902–18.
- 9 Ghetti CM. Music therapy as procedural support for invasive medical procedures: toward the development of music therapy theory. *Nordic J Music Ther* 2012;21:3–35.